



Please amend claim 1, and add new claim 7 as shown in the complete list of claims that is presented below.

1. (currently amended) An improved resin pulley formed at least in part of a resin composition, wherein the improvement comprises:

the resin composition contains a phenol resin as a base resin, and contains ~~[[15]]~~ 20 to 50 % by weight of an inorganic powder having a Mohs hardness of not less than 6.5, 20 to 40 % by weight of a reinforcing fiber, and 1 to 5 % by weight of fluororesin powder having an average particle diameter of not more than 10  $\mu\text{m}$  as a lubricant.

2. (original) The resin pulley according to claim 1, wherein the inorganic powder is a spherical silica powder having an average particle diameter of not more than 30  $\mu\text{m}$ .

Claim 3 (cancelled).

4. (original) The resin pulley according to claim 1, wherein the reinforcing fiber is a glass fiber.

5. (original) The resin pulley according to claim 1, wherein the phenol resin is a phenol resin having a number average molecular weight of 600 to 900.

6. (previously presented) The resin pulley according to claim 1, wherein the average diameter of the fluororesin powder is not less than 1  $\mu\text{m}$ .

7. (new) The resin pulley according to claim 1, wherein the ratio of the reinforcing fiber is 20 to 30 % by weight.